

## Board of Fire Commissioners

1 First Street  
Seymour, Connecticut 06483

**COPY RECEIVED**  
**DATE: 4/18/13**  
**TIME: 10:30 AM**  
**TOWN CLERK'S OFFICE**

### Meeting Minutes

April 8, 2013

7:00 pm

Citizens Engine Company

**Commissioner's attending:** Clay Jurgens, Chris Motasky, Peter Sampiere, and Scott Andrews

**Meeting called to order at 7:00 pm, followed by the Pledge of Allegiance.**

#### **Correspondence:**

- Letter from Rev. Russell Lesiw concerning National Day of Prayer.
- Email from Fire Marshal Paul Wetowitz concerning relocation of FD reports.
- Letters of Intent from Chief James Smith, Asst. Chief Steve Childs, Asst. Chief John Cronin, Jr., Asst. Chief Michael Lombardi. Also a resume and letter of intent from Doug Zaniewski for the 2013-2014 Chief and Asst. Chief position's.

#### **Financial Report:**

**Motion made to accept Financial Report as submitted by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

#### **Fire Marshal's Report:**

**Motion to accept Fire Marshal's report made by Commissioner Jurgens, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

#### **April Chief's Minutes:**

Commissioner Sampiere asked about members that are more than 100 days past due on physicals.

**Motion made to accept April Chief's Minutes by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

**Old Business:**

- Commissioner Motasky stated he spoke with the Police Department regarding their new key system. He is meeting with Cohen's key shop regarding the Trilogy system for more information.

- Chief Smith stated that \$24,000 for Great Hill Roof and \$10,000 for tires for Truck 14. Also added was an engineer study for Citizens.

**Motion to move forward with Firehouse Software upgrade to Cloud Software made by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

-Asst. chief Lombardi stated that everything has been mounted on the new Rescue truck. The new Rescue truck expected to be delivered tomorrow. He also stated he hopes to have it in service within the next 2 weeks.

**New Business-**

-Chief Smith stated he will be attending a seminar on Saturday concerning school safety.

-Chief Smith stated that FD budget was submitted as \$421,826. He also stated there is a town hearing on Wednesday. He encouraged all members to be sure to vote at the referendum on May 9<sup>th</sup>, 2013.

-Chief Smith stated that there is some sort of mechanical problem with Engine 18. It will be looked at.

**Motion to surplus Old Rescue 12 made by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

**Motion to surplus the 1998 Chevy Tahoe for trade in for the new Chief's vehicle made by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**

**Motion to schedule Chief/Asst. Chiefs interviews on 4/22/13 starting at 6 pm at Citizens Engine made by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Jurgens. Approved 4-0.**

**Executive Session:**

**Motion made to go into Executive session for personnel reason at 8:38 made by Commissioner Motasky, 2<sup>nd</sup> by Commissioner Jurgens.**

**Motion made to come out of Executive session at 8:55 made by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky.**

**No votes or actions were taken while in executive session.**

**Other Business: none**

**Public Comment: none**

**Requisitions: See Attached**

**Motion made to approve requisitions with changes by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Motasky. Approved 4-0.**


**Motion made to adjourn at 9:33 by Commissioner Andrews, 2<sup>nd</sup> by Commissioner Jurgens.**

**Approved 4-0.**

Respectfully Submitted,

Kathleen Pelletier

Clerk



Office Of The Fire Marshal  
*Town of Seymour*  
1 First Street  
Seymour, Connecticut 06483

SEYMOUR FIRE MARSHAL'S REPORT  
SUMMARY OF OFFICE ACTIVITIES FOR MARCH 2013

Below is a brief summary of the major work activities that the Seymour Fire Marshal's Office conducted during the month of March 2013:

Building Inspections – The Office conducted 3 inspections on new construction, 6 inspections on existing buildings and 5 re-inspections.

Blasting Site Inspection – 0            Blasting Complaints – 2            Other Complaints – 0

Alarms – I will no longer be providing this information per my recent e-mail to members.

Major Activities

172 North Street, shopping center – There has been no change since last month. The Office is monitoring any future progress. The building is partially occupied.

39 New Haven Road, Seybridge Plaza – There has been no change since last month. The Office is monitoring the construction progress for a two story small addition behind the Fitness Center.

396 North Main Street, the old Valley Garage – There has been no change since last month. The Office is monitoring the Code upgrade progress on this building.

Outside Training Attended– Several members of the Office attended a state class on building occupancy change. I attended a fire investigation full day class at the University of New Haven. I focused on gridding a fire scene and analysis. ATF provided the training. It was an excellent class.

42 Silvermine Road, Thule Company – No inspection was conducted on the office renovation. They are nearing the completion of the project.

600 Derby Avenue, Haynes Quarry – Blasting activity at this site is on-going. They have been blasting once a week. I am monitoring the activities.

West Church Street at Ryder Avenue, Aquarion Water Pump Station – This project includes the upgrading of this pump station. We are monitoring the construction activities.

167 Main Street, Knights of Columbus – The Office has not heard of any new activities regarding the potential code upgrade.

132 Silvermine Road – No reported new activities with a potential garage in this complex. .

20 Pine Street – The Boys and Girls Club has expressed interest in opening up a satellite location in the lower level and using the gymnasium for activities. The Office did an initial Code review and provided a letter to the First Selectman regarding potential issues at the lower level.

18 Old Drive – A plan review was conducted regarding a second floor addition to a one story building and the renovation to the pre-existing first floor. It is anticipate that this second floor will be an office.

109 River Street, Housatonic Wire Company – I and DFM Willis have been subpoenaed to testify at a civil trial in Derby Court regarding the fire. The trail was initially scheduled for mid March but has been moved to mid April.

30 Progress Ave. Explorers Learning Center Day Care – I was requested and conducted reading for multiple groups at the day care for Read across America Week.

Office Set Up Activities – The Office moved 20 boxes of past fire house company reports to 20 Pine Street second floor southern section. We also moved the Office's old building plans to that same room. The intent is to clear out the Office of all unnecessary materials and re-arrange the office. We have the blight officer permanently sharing the Office. The Office needs to be better arranged in order to promote efficiency and a more professional appearance.

Significant Fire Investigations: 24 Maple Street, porch fire – This is an accidental fire. Point of origin was the east side of the second floor porch. The cause was a welcome mat being to close to a burning charcoal grill. A moderate amount of fire damage occurred to a small area of the porch.

22 Rosko Street – This was an accidental fire that had the potential to be a significant fire. This point of origin was multiple folded towels in the second floor hallway cabinet. The towels received some smoldering damage. A liquid lighter was left in a group of towels while in an operating clothes dryer. I believe flammable liquid from it accidentally collected in the towels. Upon folding them, the remaining heat created a condition in which the liquid smoldered and burned the towels. There was no visible damage to the wooden cabinet.

Rosko Street – Several juvenelles were involved in an incident where gasoline was ignited on the ground. No building damage was found. The Office interviewed the juveniles and parents during the investigation. No further action has been taken at this time.

318 Roosevelt Drive, 1757 Restaurant - This was an accidental fire. A fire occurred in the vent pipe to a wood burning oven. The exhaust fan received significant fire damage. The fire did not spread beyond the vent pipe.


Significant Investigation - Walnut Street, the Office is working with the family to address a hoarding problem found during an EMS incident at this residence.

Submitted by,



Paul Wetowitz  
Seymour Fire Marshal  
April 2 2013

Cc. File



*Town of Seymour  
Office of Town Fire Marshal*

*1 First Street, Seymour, Conn. 06483*

*Phone 203-881-5010*

SEYMOUR FIRE MARSHAL'S REPORT  
SUMMARY OF OFFICE ACTIVITIES FOR FEBRUARY 2013

Below is a brief summary of the major work activities that the Seymour Fire Marshal's Office conducted during the month of February 2013:

Building Inspections – The Office conducted 1 inspection on new construction, 10 inspections on existing buildings and 7 re-inspections.

Blasting Site Inspection – 0            Blasting Complaints – 0            Other Complaints – 1

Alarms – The number of fire department incidents for January 2013 is 57 and February 2013 is 56. See attached reports for details.

Major Activities

172 North Street, shopping center – There has been no change since last month. The Office is monitoring any future progress. The building is partially occupied.

39 New Haven Road, Seybridge Plaza – There has been no change since last month. The Office is monitoring the construction progress for a two story small addition behind the Fitness Center.

396 North Main Street, the old Valley Garage – There has been no change since last month. The Office is monitoring the Code upgrade progress on this building.

Outside Training Attended – None

42 Silvermine Road, Thule Company – No inspection was conducted on the office renovation. They are nearing the completion of the project.

600 Derby Avenue, Haynes Quarry – Blasting activities at this site has begun again. I had a meeting with representatives from Haynes and Blast Tech on the continuing blasting activities at this site.

West Church Street at Ryder Avenue, Aquarion Water Pump Station – This project includes the upgrading of this pump station. We are monitoring the construction activities.

Safety Coordinator Activities – The re-activation of the CPR/AED program in four town buildings is now complete. I prepared, conducted and sent out meeting minutes for the Town's quarterly safety committee meeting. There also were some follow-up activities for the committee work.

School Security – DFM Willis continues to work on the review of the schools with the committee.

167 Main Street, Knights of Columbus – The Office continues to work on dealing with potential Code issues if the Church that rents out the space for ceremonies increases its number of children for religious education. Several meetings were attended and the potential Code issues discussed.

132 Silvermine Road – The Office worked with a potential new business in one of the buildings at this complex. This is reported to be an auto repair and sales business. There are potential Code issues that may have to be addressed.

Blizzard – DFM/AEMD Willis attended multiple meetings regarding emergency management operations for the blizzard.

Significant Fire Investigations: 177 Bungay Road – This is an accidental recreational trailer fire. The point of origin is the interior area on the driver's side of the trailer above the wheel well. It was also between the refrigerator and a bench. The cause is some type of an electrical malfunction.

Submitted by,

A handwritten signature in black ink, appearing to read "Paul Wetowitz". The signature is fluid and cursive, with a large, sweeping flourish at the end.

Paul Wetowitz  
Seymour Fire Marshal  
March 11 2013

Cc. File

# Seymour Fire Dept

## Incident Type Report

Alarm Date Between {01/01/2013} And {01/31/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>111 Building fire</b>				
13-0000016-000	01/10/2013	04:19:00	11 Extinguishment by	419 1 or 2 family dwelling
13-0000023-000	01/15/2013	03:17:00	11 Extinguishment by	881 Parking garage, (detached
13-0000040-000	01/25/2013	17:00:00	73 Provide manpower	700 Manufacturing, processing
13-0000043-000	01/26/2013	05:30:00	73 Provide manpower	881 Parking garage, (detached
<b>Incident Type Count:</b>	<b>4</b>			<b>Percent of All: 7.0%</b>
<b>114 Chimney or flue fire, confined to chimney or flue</b>				
13-0000036-000	01/23/2013	11:35:00	11 Extinguishment by	419 1 or 2 family dwelling
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>116 Fuel burner/boiler malfunction, fire confined</b>				
13-0000048-000	01/28/2013	01:56:00	11 Extinguishment by	419 1 or 2 family dwelling
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>131 Passenger vehicle fire</b>				
13-0000028-000	01/18/2013	10:49:00	11 Extinguishment by	961 Highway or divided
13-0000034-000	01/22/2013	08:02:00	11 Extinguishment by	963 Street or road in
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>150 Outside rubbish fire, Other</b>				
13-0000021-000	01/13/2013	09:32:00	11 Extinguishment by	900 Outside or special
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>322 Motor vehicle accident with injuries</b>				
13-0000010-000	01/04/2013	19:33:00	45 Remove hazard	962 Residential street, road
13-0000026-000	01/16/2013	08:12:00	45 Remove hazard	962 Residential street, road
13-0000046-000	01/26/2013	23:56:00	86 Investigate	963 Street or road in
<b>Incident Type Count:</b>	<b>3</b>			<b>Percent of All: 5.2%</b>
<b>324 Motor Vehicle Accident with no injuries</b>				
13-0000009-000	01/04/2013	10:01:00	45 Remove hazard	963 Street or road in
13-0000017-000	01/11/2013	06:27:00	86 Investigate	962 Residential street, road
13-0000020-000	01/12/2013	21:15:00	86 Investigate	963 Street or road in
13-0000022-000	01/15/2013	02:05:00	45 Remove hazard	962 Residential street, road
13-0000039-000	01/25/2013	09:06:00	45 Remove hazard	963 Street or road in

Seymour Fire Dept

Incident Type Report

Alarm Date Between {01/01/2013} And {01/31/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>324 Motor Vehicle Accident with no injuries</b>				
13-0000050-000	01/29/2013	08:32:00	45 Remove hazard	961 Highway or divided
<b>Incident Type Count:</b>	<b>6</b>			<b>Percent of All: 10.5%</b>
<b>360 Water &amp; ice-related rescue, other</b>				
13-0000018-000	01/12/2013	04:41:00	86 Investigate	940 Water area, Other
13-0000044-000	01/26/2013	07:04:00	86 Investigate	962 Residential street, road
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>412 Gas leak (natural gas or LPG)</b>				
13-0000032-000	01/21/2013	18:49:00	86 Investigate	419 1 or 2 family dwelling
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>413 Oil or other combustible liquid spill</b>				
13-0000027-000	01/16/2013	12:28:00	86 Investigate	962 Residential street, road
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>424 Carbon monoxide incident</b>				
13-0000003-000	01/03/2013	14:14:00	86 Investigate	419 1 or 2 family dwelling
13-0000011-000	01/04/2013	19:51:00	51 Ventilate	419 1 or 2 family dwelling
13-0000055-000	01/31/2013	16:21:00	51 Ventilate	419 1 or 2 family dwelling
<b>Incident Type Count:</b>	<b>3</b>			<b>Percent of All: 5.2%</b>
<b>444 Power line down</b>				
13-0000054-000	01/31/2013	11:29:00	86 Investigate	962 Residential street, road
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>445 Arcing, shorted electrical equipment</b>				
13-0000056-000	01/31/2013	16:57:00	86 Investigate	962 Residential street, road
13-0000058-000	01/31/2013	22:56:00	86 Investigate	962 Residential street, road
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>460 Accident, potential accident, Other</b>				
13-0000015-000	01/09/2013	11:52:00	45 Remove hazard	419 1 or 2 family dwelling

**Seymour Fire Dept**

**Incident Type Report**

**Alarm Date Between {01/01/2013} And {01/31/2013}**

Incident	Alm Date	Time	Primary Action	Property Use
<b>460 Accident, potential accident, Other</b>				
Incident Type Count:	1			Percent of All: 1.7%
<b>480 Attempted burning, illegal action, Other</b>				
13-0000029-000	01/18/2013	19:34:00	86 Investigate	419 1 or 2 family dwelling
Incident Type Count:	1			Percent of All: 1.7%
<b>511 Lock-out</b>				
13-0000001-000	01/01/2013	03:40:00	52 Forcible entry	429 Multifamily dwelling
13-0000005-000	01/03/2013	07:45:00	52 Forcible entry	419 1 or 2 family dwelling
Incident Type Count:	2			Percent of All: 3.5%
<b>520 Water problem, Other</b>				
13-0000038-000	01/24/2013	19:13:00	86 Investigate	962 Residential street, road
Incident Type Count:	1			Percent of All: 1.7%
<b>522 Water or steam leak</b>				
13-0000008-000	01/04/2013	09:47:00	86 Investigate	580 General retail, Other
13-0000024-000	01/15/2013	15:08:00	86 Investigate	419 1 or 2 family dwelling
13-0000041-000	01/25/2013	23:45:00	64 Shut down system	419 1 or 2 family dwelling
13-0000052-000	01/30/2013	14:14:00	64 Shut down system	419 1 or 2 family dwelling
Incident Type Count:	4			Percent of All: 7.0%
<b>531 Smoke or odor removal</b>				
13-0000019-000	01/12/2013	17:21:00	86 Investigate	419 1 or 2 family dwelling
13-0000045-000	01/26/2013	13:14:00	86 Investigate	429 Multifamily dwelling
13-0000047-000	01/27/2013	12:29:00	86 Investigate	419 1 or 2 family dwelling
Incident Type Count:	3			Percent of All: 5.2%
<b>611 Dispatched &amp; cancelled en route</b>				
13-0000042-000	01/25/2013	05:07:00	93 Cancelled en route	962 Residential street, road
13-0000053-000	01/31/2013	11:20:00	93 Cancelled en route	963 Street or road in
Incident Type Count:	2			Percent of All: 3.5%
<b>621 Wrong location</b>				

Seymour Fire Dept

Incident Type Report

Alarm Date Between {01/01/2013} And {01/31/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>621 Wrong location</b>				
13-0000057-000	01/31/2013	17:02:00	86 Investigate	963 Street or road in
Incident Type Count:	1			Percent of All: 1.7%
<b>651 Smoke scare, odor of smoke</b>				
13-0000031-000	01/21/2013	17:28:00	86 Investigate	963 Street or road in
Incident Type Count:	1			Percent of All: 1.7%
<b>743 Smoke detector activation, no fire - unintentional</b>				
13-0000025-000	01/15/2013	17:20:00	86 Investigate	429 Multifamily dwelling
Incident Type Count:	1			Percent of All: 1.7%
<b>745 Alarm system activation, no fire - unintentional</b>				
13-0000002-000	01/02/2013	08:27:00	86 Investigate	215 High school/junior high
13-0000004-000	01/02/2013	14:22:00	86 Investigate	557 Personal service,
13-0000006-000	01/03/2013	10:02:00	86 Investigate	700 Manufacturing, processing
13-0000007-000	01/04/2013	08:19:00	86 Investigate	215 High school/junior high
13-0000012-000	01/06/2013	11:29:00	86 Investigate	700 Manufacturing, processing
13-0000013-000	01/07/2013	00:29:00	86 Investigate	419 1 or 2 family dwelling
13-0000030-000	01/21/2013	11:37:00	86 Investigate	419 1 or 2 family dwelling
13-0000033-000	01/22/2013	06:23:00	86 Investigate	700 Manufacturing, processing
13-0000035-000	01/22/2013	20:54:00	86 Investigate	131 Church, mosque,
13-0000037-000	01/24/2013	04:27:00	86 Investigate	419 1 or 2 family dwelling
13-0000049-000	01/28/2013	14:57:00	86 Investigate	519 Food and beverage sales,
13-0000051-000	01/30/2013	05:06:00	86 Investigate	700 Manufacturing, processing
Incident Type Count:	12			Percent of All: 21.0%

Total Incident Count: 57

Seymour Fire Dept

Incident Type Report

Alarm Date Between {02/01/2013} And {02/28/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>131 Passenger vehicle fire</b>				
13-0000110-000	02/23/2013	12:09:00	11 Extinguishment by	962 Residential street, road
Incident Type Count:	1			Percent of All: 1.7%

<b>137 Camper or recreational vehicle (RV) fire</b>				
13-0000113-000	02/27/2013	12:56:00	11 Extinguishment by	962 Residential street, road
Incident Type Count:	1			Percent of All: 1.7%

<b>311 Medical assist, assist EMS crew</b>				
13-0000077-000	02/09/2013	11:42:00	70 Assistance, Other	419 1 or 2 family dwelling
13-0000081-000	02/09/2013	14:25:00	70 Assistance, Other	311 24-hour care Nursing
13-0000084-000	02/09/2013	18:48:00	70 Assistance, Other	419 1 or 2 family dwelling
13-0000085-000	02/09/2013	21:04:00	70 Assistance, Other	365 Police station
13-0000111-000	02/26/2013	12:00:00	52 Forcible entry	429 Multifamily dwelling
Incident Type Count:	5			Percent of All: 8.9%

<b>324 Motor Vehicle Accident with no injuries</b>				
13-0000066-000	02/03/2013	00:49:00	45 Remove hazard	962 Residential street, road
13-0000070-000	02/04/2013	12:10:00	86 Investigate	962 Residential street, road
13-0000109-000	02/23/2013	08:08:00	45 Remove hazard	962 Residential street, road
Incident Type Count:	3			Percent of All: 5.3%

<b>411 Gasoline or other flammable liquid spill</b>				
13-0000115-000	02/28/2013	08:43:00	86 Investigate	963 Street or road in
Incident Type Count:	1			Percent of All: 1.7%

<b>412 Gas leak (natural gas or LPG)</b>				
13-0000114-000	02/28/2013	00:26:00	86 Investigate	965 Vehicle parking area
Incident Type Count:	1			Percent of All: 1.7%

<b>440 Electrical wiring/equipment problem, Other</b>				
13-0000102-000	02/16/2013	07:25:00	87 Investigate fire out	419 1 or 2 family dwelling
Incident Type Count:	1			Percent of All: 1.7%

442 Overheated motor

Seymour Fire Dept

Incident Type Report

Alarm Date Between {02/01/2013} And {02/28/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>442 Overheated motor</b>				
13-0000104-000	02/17/2013	15:06:00	86 Investigate	965 Vehicle parking area
Incident Type Count:	1			Percent of All: 1.7%
<b>444 Power line down</b>				
13-0000061-000	02/02/2013	08:45:00	86 Investigate	962 Residential street, road
13-0000074-000	02/08/2013	23:13:00	86 Investigate	962 Residential street, road
Incident Type Count:	2			Percent of All: 3.5%
<b>445 Arcing, shorted electrical equipment</b>				
13-0000067-000	02/03/2013	20:15:00	86 Investigate	962 Residential street, road
Incident Type Count:	1			Percent of All: 1.7%
<b>522 Water or steam leak</b>				
13-0000062-000	02/02/2013	16:33:00	45 Remove hazard	419 1 or 2 family dwelling
Incident Type Count:	1			Percent of All: 1.7%
<b>531 Smoke or odor removal</b>				
13-0000098-000	02/14/2013	07:20:00	86 Investigate	900 Outside or special
13-0000080-000	02/19/2013	13:37:00	86 Investigate	419 1 or 2 family dwelling
Incident Type Count:	2			Percent of All: 3.5%
<b>550 Public service assistance, Other</b>				
13-0000089-000	02/10/2013	09:05:00	70 Assistance, Other	429 Multifamily dwelling
Incident Type Count:	1			Percent of All: 1.7%
<b>551 Assist police or other governmental agency</b>				
13-0000059-000	02/01/2013	08:27:00	52 Forcible entry	419 1 or 2 family dwelling
Incident Type Count:	1			Percent of All: 1.7%
<b>561 Unauthorized burning</b>				
13-0000063-000	02/02/2013	20:35:00	86 Investigate	419 1 or 2 family dwelling
13-0000064-000	02/02/2013	21:21:00	11 Extinguishment by	931 Open land or field

**Seymour Fire Dept**

**Incident Type Report**

**Alarm Date Between {02/01/2013} And {02/28/2013}**

<b>Incident</b>	<b>Alm Date</b>	<b>Time</b>	<b>Primary Action</b>	<b>Property Use</b>
<b>561 Unauthorized burning</b>				
-----				
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>571 Cover assignment, standby, moveup</b>				
-----				
13-0000094-000	02/12/2013	03:25:00	92 Standby	
13-0000105-000	02/17/2013	23:07:00	92 Standby	419 1 or 2 family dwelling
-----				
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>611 Dispatched &amp; cancelled en route</b>				
-----				
13-0000068-000	02/03/2013	20:34:00	93 Cancelled en route	419 1 or 2 family dwelling
13-0000076-000	02/09/2013	02:35:00	93 Cancelled en route	419 1 or 2 family dwelling
-----				
<b>Incident Type Count:</b>	<b>2</b>			<b>Percent of All: 3.5%</b>
<b>651 Smoke scare, odor of smoke</b>				
-----				
13-0000065-000	02/02/2013	22:41:00	86 Investigate	963 Street or road in
13-0000073-000	02/05/2013	17:37:00	75 Provide equipment	419 1 or 2 family dwelling
13-0000086-000	02/10/2013	01:23:00	86 Investigate	419 1 or 2 family dwelling
13-0000092-000	02/11/2013	13:04:00	86 Investigate	592 Bank
13-0000096-000	02/14/2013	06:38:00	86 Investigate	961 Highway or divided
13-0000097-000	02/14/2013	06:58:00	86 Investigate	596 Post office or mailing
-----				
<b>Incident Type Count:</b>	<b>6</b>			<b>Percent of All: 10.7%</b>
<b>735 Alarm system sounded due to malfunction</b>				
-----				
13-0000069-000	02/04/2013	00:37:00	86 Investigate	419 1 or 2 family dwelling
-----				
<b>Incident Type Count:</b>	<b>1</b>			<b>Percent of All: 1.7%</b>
<b>745 Alarm system activation, no fire - unintentional</b>				
-----				
13-0000060-000	02/01/2013	11:00:00	86 Investigate	579 Motor vehicle or boat
13-0000071-000	02/04/2013	19:40:00	86 Investigate	429 Multifamily dwelling
13-0000083-000	02/09/2013	18:25:00	86 Investigate	429 Multifamily dwelling
13-0000093-000	02/12/2013	02:38:00	86 Investigate	459 Residential board and
13-0000099-000	02/14/2013	09:10:00	86 Investigate	700 Manufacturing, processing
13-0000100-000	02/14/2013	11:09:00	86 Investigate	300 Health care, detention, &
13-0000101-000	02/14/2013	19:42:00	86 Investigate	700 Manufacturing, processing
13-0000103-000	02/16/2013	16:33:00	86 Investigate	419 1 or 2 family dwelling
13-0000107-000	02/19/2013	15:58:00	86 Investigate	213 Elementary school,
13-0000112-000	02/26/2013	21:05:00	86 Investigate	213 Elementary school,

Seymour Fire Dept

Incident Type Report

Alarm Date Between {02/01/2013} And {02/28/2013}

Incident	Alm Date	Time	Primary Action	Property Use
<b>745 Alarm system activation, no fire - unintentional</b>				
13-0000116-000	02/28/2013	10:04:00	86 Investigate	419 1 or 2 family dwelling
<b>Incident Type Count:</b>		<b>11</b>		<b>Percent of All: 19.6%</b>

<b>746 Carbon monoxide detector activation, no CO</b>				
13-0000072-000	02/04/2013	21:04:00	86 Investigate	419 1 or 2 family dwelling
13-0000075-000	02/09/2013	01:44:00	86 Investigate	419 1 or 2 family dwelling
13-0000087-000	02/10/2013	02:22:00	86 Investigate	419 1 or 2 family dwelling
13-0000088-000	02/10/2013	03:13:00	86 Investigate	419 1 or 2 family dwelling
13-0000106-000	02/19/2013	09:43:00	86 Investigate	419 1 or 2 family dwelling
13-0000108-000	02/21/2013	14:49:00	86 Investigate	419 1 or 2 family dwelling
<b>Incident Type Count:</b>		<b>6</b>		<b>Percent of All: 10.7%</b>

<b>800 Severe weather or natural disaster, Other</b>				
13-0000090-000	02/10/2013	10:32:00	70 Assistance, Other	419 1 or 2 family dwelling
13-0000091-000	02/11/2013	08:51:00	73 Provide manpower	419 1 or 2 family dwelling
<b>Incident Type Count:</b>		<b>2</b>		<b>Percent of All: 3.5%</b>

<b>815 Severe weather or natural disaster standby</b>				
13-0000078-000	02/08/2013	12:15:00	92 Standby	888 Fire station
13-0000079-000	02/08/2013	12:15:00	92 Standby	888 Fire station
<b>Incident Type Count:</b>		<b>2</b>		<b>Percent of All: 3.5%</b>

Total Incident Count: 56

**Seymour Fire Department  
Chief's Requisitions**


Qty	Item Description	Vendor	Price ea.	Total	Acct. No.	P.O. No.
1	Inflatable Honda 50 hp	Beacon Point Marine	\$399.50	\$399.50	430	86498
1	Misc tags	On Scene Tags	\$420.00	\$420.00	743	<del>86499</del> 84898
1	Steward Supplies	Housatonic Paper	\$422.31	\$422.31	610	86500
1	Weber Lights for T-14	Firematic	\$75.00	\$75.00	430	86501
1	Increase Open PO	Daddios	\$500.00	\$500.00	430	84890
1	Mask and Pack repairs	Shipmans	\$380.80	\$380.80	430	86502
5	FF 1 class	Valley Fire School	\$750.00	\$3,750.00	350	86503
4	Boxes of XL Nitrile Gloves G.H.	SRA-	15	60.	743	86504
2	Boxes of L Nitrile Gloves G.H.	SRA-	15	30.	743	86504
12	Nomex Hoods	Shipmans	\$25.00	\$300.00	615	86505
1	Fire Officer 101 class	George Lattanzl	\$250.00	\$250.00	350	
1	FH cloud w/ CAD monitor	Firehouse Software	\$4,111.00	\$4,111.00	350	86506
1	SHIPMANS Pack Repairs	SHIPMANS		\$2,000.-	<del>430</del> 743	86507
1	Pole mat	TBT		310.-	743	
1	<del>Housatonic Paper</del>			<del>422.31</del>	<del>610</del>	
1	Towys - Tow E-18	TRACY'S		400.00	430	86508
				\$0.00		

\$10,408.61


Seymour Fire Department  
Chief's Requisitions

By our signatures below, we approve the requisitions indicated above:

Date: 4/8/13

  
\_\_\_\_\_  
James Smith, Chief

  
\_\_\_\_\_  
Steve Childs Asst. Chief

  
\_\_\_\_\_  
Michael Lombardi, Asst. Chief

  
\_\_\_\_\_  
John Cronin Jr. Asst. Chief