



COPY RECEIVED
DATE: 12/27/12
TIME: 10:15AM
TOWN CLERK'S OFFICE

Board of Fire Commissioners

1 FIRST STREET

SEYMOUR, CONNECTICUT 06483

Meeting Minutes

December 17, 2012

7:30p.m.

Citizens Engine Company

Commissioner's attending: Gene Atkas, Clay Jurgens, Chris Motasky, Peter Sampiere, and Scott Andrews

Meeting called to order at 7:30 pm, followed by the Pledge of Allegiance.

Correspondence: A letter was read from Seymour Town Hall regarding 2013/2014 budget being due Jan. 15th.

Motion to hold special Meeting on January 3, 2013, to discuss budget and capital projects for 2013/2014 made by Commissioner Andrews, 2nd by Commissioner Jurgens. Approved 5-0.

Financial Report:

Motion made to accept Financial Report as submitted by Commissioner Motasky, 2nd by Commissioner Sampiere. Approved 5-0.

Fire Marshal's Report:

Motion to accept Fire Marshal's report made by Commissioner Motasky, 2nd by Commissioner Andrews. Approved 5-0.

Commissioner Atkas would like it stated that no one from the Fire Marshal's office was present to answer any questions.

December Chief's Minutes:

Motion made to accept December Chief's Minutes by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

Old Business:

Motion to change Engineers and Fire Department Mechanic pay from quarterly to Monthly as of January 1st, 2013 made by Commissioner Motasky, 2nd by Commissioner Andrews. Approved 5-0.

- Commissioner Jurgens stated he spoke with Comcast regarding services at Great Hill. Comcast stated they can split the bill with cable package going to Great Hill. The internet portion of the bill will continue to be paid by the department. **Motion that as of 12/31/12 the cable portion of Comcast bill will be sent to Great Hill Hose made by Commissioner Jurgens and 2nd by Commissioner Andrews. Approved 5-0.**

Motion to change meeting time for Board of Fire Commissioners to 7 pm as of the 1/14/2013 meeting date made by Commissioner Jurgens and 2nd by Commissioner Motasky. Approved 5-0.

Motion to appoint James Smith as Fire Chief for the term of 1/1/2013-06/30/2013 made by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

Motion to appoint Stephen Childs as 1st Asst. Chief for the term of 1/1/2013-6/30/13 made by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

Motion to appoint John Cronin Jr. as 2nd Asst. Chief for the term of 1/1/13-06/30/13 made by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

Also let the record so that Michael Lombardi had been appointed on July 9th 2012, as 3rd Asst. Chief for the term of 1/1/13-06/30/13.

- Commissioner Jurgens stated that the electrical work at Citizen's should begin end of this week or beginning of next week by Jarvis electric.

Motion to accept Crowley Ford quote for new Chiefs Vehicle made by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

- Captain Lombardi stated that new Rescue 12 is ahead of schedule by almost a month. He stated a letter is needed stating that the light tower on old Rescue 12 is working properly.

New Business:

- A letter needs to be sent out to vendors regarding the new engineers.
- Commissioner Andrews stated that himself and FD clerk Kathy took a course on Injury reports.

Motion made to approve dates for Board of Fire Commissioners meetings for 2013 made by Commissioner Andrews and 2nd by Commissioner Jurgens. Approved 5-0.

Executive Session: None

Other Business: none

Public Comment:

-Commissioner Andrews would like to Thank Chief Thomas Tomasheski for his many years of service.

Requisitions: See Attached

Motion made to approve requisitions with changes by Commissioner Andrews, 2nd by Commissioner Jurgens. Approved 5-0.

Motion made to adjourn at 9:33 by Commissioner Jurgens, 2nd by Commissioner Sampiere. Approved 5-0.

Respectfully Submitted,

Kathleen Pelletier
Clerk



Town of Seymour
Office of Town Fire Marshal

1 First Street, Seymour, Conn. 06483

Phone 203-881-5010

SEYMOUR FIRE MARSHAL'S REPORT
SUMMARY OF OFFICE ACTIVITIES FOR OCTOBER 2012

Below is a brief summary of the major work activities that the Seymour Fire Marshal's Office conducted during the month of October 2012:

Building Inspections – The Office conducted 4 inspections on new construction, 6 inspections on existing buildings and 3 re-inspections.

Fuel Truck Inspections - 0

Blasting Site Inspection – 0

Blasting Complaints – 2

Other Complaints – 0

Alarms – The number of fire department incidents for October is 116. See attached report for details.

Major Activities

Roosevelt Drive, 1747 Restaurant and Tavern – The project still has some work and testing that needs to be completed before a full certificate of occupancy can be approved.

172 North Street, shopping center – The Office is monitoring any future progress. The building is partially occupied. The building shell is complete.

172 North Street, Laundry Mat – The Office has completed its inspections and the witnessing of testing equipment. A certificate of occupancy has been approved. This project is completed from the office standpoint.

39 New Haven Road, Seybridge Plaza – The Office is monitoring the construction progress for a two story small addition behind the Fitness Center.

396 North Main Street, the old Valley Garage – The Office is monitoring the Code upgrade progress on this building.

Outside Training Attended– DFM Tim Willis and I attended a two day seminar on death investigations at the University of New Haven. The Seymour Detective Division also attended with us.

University of New Haven Intern – The intern is still doing very well. The completion of her hours is almost completed.

256 Bank Street, SONCCA – The Office is monitoring the continuing construction activities for SONCCA to move into this existing building.

42 Silvermine Road, Thule Company – The Office has conducted construction inspections and follow up activities regarding this renovation. A temporary certificate of occupancy has been approved for part of the building under phase 1.

172 North Street, new plaza, Boland's Cafe – The Office has completed its inspections and the witnessing of testing equipment for this project. A certificate of occupancy has been approved. This project is completed from the office's standpoint.

225 West Street Plaza, Pub 67 – The Office has completed its inspections and the witnessing of testing equipment. A certificate of occupancy has been approved. This project is completed from the office's standpoint.

600 Derby Avenue, Haynes Quarry – Blasting activities, which includes the temporary closing of Route 8 in both directions, have continued. Some complaints have been addressed.

West Church Street at Ryder Avenue, Aquarion Water Pump Station – The work at this project has begun. We are monitoring the construction activities and have begun answering questions from the contractors.

Fire Prevention Activities – The office spent considerable time preparing for and conducting fire prevention activities for the 2 elementary schools and 5 day cares in town. The Office also received the \$1,600 grant from the Valley Foundation for the purchase of fire prevention materials for the fourth and fifth graders in the school system. The items were ordered, received, organized and distributed at the schools.

Hurricane Sandy – DFM/AEMD Tim Willis attended many meetings and assisted in the preparation for the hurricane, handled the preparation and operation of the emergency shelter, and conducted a lot of follow up.

LEPC – DFM Willis and I attended a walk thru of the well field for the Regional Water Authority on Roosevelt Drive with the LEPC.

Safety Committee – I prepared for, conducted and completed the meeting minutes for the quarterly meeting. After the meeting, some time was spent of follow up activities.

Significant Fire Investigations: 40 Chamberlain Road - A small fire occurred in the second floor bedroom of this duplex. The point of origin was on the bed. The cause of this fire is undetermined at this time. The State Fire Marshal's Office and Seymour Detective Division assisted with this investigation. The fire caused minor fire damage but moderate smoke and water damage. .

Submitted by,



Paul Wetowitz
Seymour Fire Marshal
December 10 2012

Cc. File

Seymour Fire Dept

Incident List by Incident Number

Alarm Date Between {10/01/2012} And {10/31/2012}

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
12-0000378-000	10/01/2012	15:27:00	Clinton Rd	324 Motor Vehicle Accident with
12-0000379-000	10/01/2012	17:37:00	32 Great Oak Ridge Way	746 Carbon monoxide detector act
12-0000380-000	10/02/2012	06:58:00	Mountain Rd.	621 Wrong location
12-0000381-000	10/03/2012	04:28:00	6 Lantern Dr.	745 Alarm system activation, no
12-0000382-000	10/05/2012	21:11:00	4 Progress Ave.	745 Alarm system activation, no
12-0000384-000	10/07/2012	11:31:00	40 Chamberlin Rd.	111 Building fire
12-0000385-000	10/07/2012	17:59:00	40 Chamberlin Rd.	550 Public service assistance, O
12-0000386-000	10/07/2012	18:28:00	4 Evening Star Dr.	746 Carbon monoxide detector act
12-0000387-000	10/07/2012	19:05:00	12 A April Gardens Rd	412 Gas leak (natural gas or LPG
12-0000388-000	10/08/2012	08:54:00	4 Seymour Ave.	531 Smoke or odor removal
12-0000389-000	10/08/2012	17:59:00	16 Bank St.	745 Alarm system activation, no
12-0000390-000	10/10/2012	00:48:00	35 Washington Ave.	413 Oil or other combustible liq
12-0000391-000	10/10/2012	09:07:00	15 Seymour Ave.	746 Carbon monoxide detector act
12-0000392-000	10/10/2012	13:35:00	133 Walnut St.	745 Alarm system activation, no
12-0000393-000	10/10/2012	18:12:00	47 Birchwood Rd.	440 Electrical wiring/equipment
12-0000394-000	10/10/2012	20:17:00	Pearl St. & Maple St.	651 Smoke scare, odor of smoke
12-0000395-000	10/12/2012	17:03:00	356 Roosevelt Dr.	324 Motor Vehicle Accident with
12-0000396-000	10/12/2012	17:49:00	79 Main St.	745 Alarm system activation, no
12-0000397-000	10/13/2012	09:04:00	3 Castle La	746 Carbon monoxide detector act
12-0000398-000	10/13/2012	15:00:00	Silvermine Rd.	352 Extrication of victim(s) fro
12-0000399-000	10/13/2012	20:04:00	Derby Ave.	651 Smoke scare, odor of smoke
12-0000400-000	10/14/2012	01:14:00	Derby Ave.	324 Motor Vehicle Accident with
12-0000401-000	10/15/2012	12:57:00	17 Paramount Dr	745 Alarm system activation, no
12-0000402-000	10/15/2012	21:04:00	112 Woodbridge ave /Anson	111 Building fire
12-0000403-000	10/16/2012	10:27:00	52 Pershing Ave	745 Alarm system activation, no
12-0000404-000	10/19/2012	12:50:00	141 Maple St.	324 Motor Vehicle Accident with
12-0000405-000	10/19/2012	04:26:00	16 Sagamore Dr.	611 Dispatched & cancelled en ro
12-0000406-000	10/21/2012	17:57:00	11 Highland St. /2nd fl	745 Alarm system activation, no
12-0000407-000	10/22/2012	19:02:00	750 So. Main St.	113 Cooking fire, confined to co
12-0000408-000	10/25/2012	19:41:00	Bungay Rd. & Canfield Rd.	324 Motor Vehicle Accident with
12-0000409-000	10/26/2012	05:53:00	318 Roosevelt Dr.	745 Alarm system activation, no
12-0000410-000	10/26/2012	11:56:00	318 Roosevelt Dr.	745 Alarm system activation, no
12-0000411-000	10/26/2012	04:37:00	318 Roosevelt Dr.	745 Alarm system activation, no
12-0000412-000	10/26/2012	20:22:00	Clinton Rd	131 Passenger vehicle fire
12-0000413-000	10/27/2012	13:20:00	815 Derby Ave.	324 Motor Vehicle Accident with
12-0000414-000	10/27/2012	19:32:00	318 Roosevelt Dr.	735 Alarm system sounded due to
12-0000415-000	10/27/2012	20:25:00	44 Washington Ave.	622 No Incident found on arrival
12-0000416-000	10/27/2012	21:05:00	144 Walnut St.	745 Alarm system activation, no
12-0000417-000	10/28/2012	22:10:00	6 Glenn Circle	424 Carbon monoxide incident
12-0000418-000	10/29/2012	10:55:00	43 Chestnut St.	800 Severe weather or natural di
12-0000419-000	10/29/2012	11:37:00	140 Botsford Rd.	815 Severe weather or natural di
12-0000420-000	10/29/2012	13:41:00	62 Spruce St.	510 Person in distress, Other
12-0000421-000	10/29/2012	13:50:00	18 Highland Ave.	800 Severe weather or natural di
12-0000422-000	10/29/2012	14:18:00	116 North St.	424 Carbon monoxide incident
12-0000423-000	10/29/2012	15:19:00	187 Eastwood dr	746 Carbon monoxide detector act

Seymour Fire Dept

Incident List by Incident Number

Alarm Date Between {10/01/2012} And {10/31/2012}

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
12-0000424-000	10/29/2012	17:17:00	Clinton rd /Rte 313	444 Power line down
12-0000425-000	10/29/2012	17:17:00	34 Buckingham Rd	444 Power line down
12-0000426-000	10/29/2012	17:29:00	10 Mannweiller Dr	444 Power line down
12-0000427-000	10/29/2012	17:43:00	199 Woodlawn Dr	800 Severe weather or natural di
12-0000428-000	10/29/2012	17:45:00	5 DeWolfe St.	444 Power line down
12-0000429-000	10/29/2012	18:12:00	16 Jupiter Dr.	800 Severe weather or natural di
12-0000430-000	10/29/2012	20:50:00	109 Davis Rd.	444 Power line down
12-0000431-000	10/29/2012	19:44:00	13 Glenn Circle	800 Severe weather or natural di
12-0000432-000	10/30/2012	02:00:00	1 Klarides Village Dr.	745 Alarm system activation, no
12-0000433-000	10/30/2012	08:15:00	210 Cedar St.	745 Alarm system activation, no
12-0000434-000	10/30/2012	09:06:00	49 Holbrook Rd.	444 Power line down
12-0000435-000	10/30/2012	09:11:00	32 Smith St.	651 Smoke scare, odor of smoke
12-0000436-000	10/30/2012	09:34:00	154 Mountain Rd.	444 Power line down
12-0000437-000	10/30/2012	10:04:00	Davis Rd. & Steep Hill Rd	444 Power line down
12-0000438-000	10/30/2012	20:40:00	Main St.	611 Dispatched & cancelled en ro
12-0000439-000	10/31/2012	00:23:00	63 Silvermine Rd.	745 Alarm system activation, no
12-0000440-000	10/31/2012	01:08:00	So. Main St. & Pearl St.	352 Extrication of victim(s) fro
12-0000441-000	10/31/2012	03:31:00	9 Barn Hill Rd	746 Carbon monoxide detector act
12-0000443-000	10/31/2012	19:38:00	Clifton Ave	444 Power line down
12-0000444-000	10/31/2012	19:48:00	6 Chamberlin Rd.	444 Power line down
12-0000445-000	10/31/2012	20:40:00	6 Hill St	745 Alarm system activation, no
12-0000446-000	10/31/2012	23:47:00	210 Cedar St.	745 Alarm system activation, no
12-0000455-000	10/29/2012	18:12:00	9 Bassett Rd	444 Power line down
12-0000456-000	10/29/2012	18:00:00	87 Tomlinson Rd.	444 Power line down
12-0000457-000	10/29/2012	18:00:00	1 Botsford Rd.	444 Power line down
12-0000458-000	10/29/2012	18:00:00	18 Great Hill Rd.	444 Power line down
12-0000459-000	10/29/2012	18:00:00	4 Gary Park Dr.	444 Power line down
12-0000460-000	10/29/2012	18:00:00	10 Main St.	745 Alarm system activation, no
12-0000461-000	10/29/2012	18:00:00	1 Gary Park Dr.	444 Power line down
12-0000462-000	10/29/2012	18:00:00	4 Wycliff Ter.	444 Power line down
12-0000463-000	10/29/2012	18:00:00	136 Bungay Rd.	800 Severe weather or natural di
12-0000464-000	10/29/2012	18:00:00	23 Partridge Dr	444 Power line down
12-0000465-000	10/29/2012	18:00:00	So. Main St.	440 Electrical wiring/equipment
12-0000466-000	10/29/2012	18:00:00	93 Martha St	444 Power line down
12-0000467-000	10/29/2012	18:00:00	5 Davis Rd.	444 Power line down
12-0000468-000	10/29/2012	18:00:00	199 Woodlawn Dr	444 Power line down
12-0000469-000	10/29/2012	18:00:00	10 Mannweiller Dr	444 Power line down
12-0000470-000	10/29/2012	18:00:00	103 Colony St	444 Power line down
12-0000471-000	10/29/2012	18:00:00	107 Colony St	444 Power line down
12-0000472-000	10/29/2012	18:00:00	109 Colony St	444 Power line down
12-0000473-000	10/29/2012	18:00:00	86 Colony St	142 Brush or brush-and-grass mix
12-0000474-000	10/29/2012	18:00:00	137 Bungay Ter	444 Power line down
12-0000475-000	10/29/2012	18:00:00	103 North St.	444 Power line down
12-0000476-000	10/29/2012	18:00:00	87 Tomlinson Rd.	461 Building or structure weaken
12-0000477-000	10/29/2012	18:00:00	18 Great Hill Rd.	444 Power line down

Seymour Fire Dept

Incident List by Incident Number

Alarm Date Between {10/01/2012} And {10/31/2012}

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
12-0000478-000	10/29/2012	18:00:00	84 Great Hill Rd.	444 Power line down
12-0000479-000	10/29/2012	18:00:00	35 Hickory La Ext.	444 Power line down
12-0000480-000	10/29/2012	18:00:00	1 Anne Ave.	444 Power line down
12-0000481-000	10/29/2012	18:00:00	16 Argyle Cir.	444 Power line down
12-0000482-000	10/29/2012	18:00:00	Fox Dr.	444 Power line down
12-0000483-000	10/29/2012	18:00:00	99 Martha St	444 Power line down
12-0000484-000	10/29/2012	18:00:00	5 DeWolfe St.	444 Power line down
12-0000485-000	10/29/2012	18:00:00	Old Ansonia Rd.	444 Power line down
12-0000486-000	10/29/2012	18:00:00	191 Mountain Rd.	444 Power line down
12-0000487-000	10/29/2012	18:00:00	31 Birchwood Rd.	800 Severe weather or natural di
12-0000488-000	10/29/2012	18:00:00	18 Bassett Rd	444 Power line down
12-0000489-000	10/29/2012	18:00:00	109 Davis Rd.	444 Power line down
12-0000490-000	10/29/2012	18:00:00	3 Glenn Circle	444 Power line down
12-0000491-000	10/29/2012	18:00:00	96 Colony St	444 Power line down
12-0000492-000	10/29/2012	18:00:00	So. Main St. & Maple St.	444 Power line down
12-0000493-000	10/29/2012	18:00:00	4 Mannweiller Dr	444 Power line down
12-0000494-000	10/29/2012	18:00:00	Canfield Rd. & Botsford R	444 Power line down
12-0000495-000	10/29/2012	18:00:00	215 West Church St.	444 Power line down
12-0000496-000	10/29/2012	18:00:00	38 Cedar St.	444 Power line down
12-0000497-000	10/29/2012	18:00:00	6 Kathy Dr.	444 Power line down
12-0000498-000	10/29/2012	18:00:00	115 North St.	444 Power line down
12-0000499-000	10/29/2012	18:00:00	North St.	440 Electrical wiring/equipment
12-0000500-000	10/29/2012	18:00:00	56 Mountain Rd.	444 Power line down
12-0000501-000	10/29/2012	18:00:00	1 DeWolfe St.	142 Brush or brush-and-grass mix
12-0000502-000	10/29/2012	18:00:00	1 Squantuck Rd.	444 Power line down
12-0000510-000	10/17/2012	08:25:00	20 Maiden La.	651 Smoke scare, odor of smoke

Total Incident Count 116



Town of Seymour
Office of Town Fire Marshal

1 First Street, Seymour, Conn. 06483

Phone 203-881-5010

SEYMOUR FIRE MARSHAL'S REPORT
SUMMARY OF OFFICE ACTIVITIES FOR NOVEMBER 2012

Below is a brief summary of the major work activities that the Seymour Fire Marshal's Office conducted during the month of November 2012:

Building Inspections – The Office conducted 3 inspections on new construction, 3 inspections on existing buildings and 3 re-inspections.

Fuel Truck Inspections - 1

Blasting Site Inspection – 0

Blasting Complaints – 0

Other Complaints – 0

Alarms – The number of fire department incidents for November is 44. See attached report for details.

Major Activities

Roosevelt Drive, 1747 Restaurant and Tavern – There have been no changes since last month. The project still has some work and testing that needs to be completed before a full certificate of occupancy can be approved.

172 North Street, shopping center – There has been no change since last month. The Office is monitoring any future progress. The building is partially occupied. The building shell is complete.

39 New Haven Road, Seybridge Plaza – There has been no change since last month. The Office is monitoring the construction progress for a two story small addition behind the Fitness Center.

396 North Main Street, the old Valley Garage – There has been no change since last month. The Office is monitoring the Code upgrade progress on this building.

Outside Training Attended– Some Office members attended a class at Fairfield University on fire code enforcement review. DFM Tim Willis and Assistant Fire Chief Childs attended a seminar on public information officer actions.

University of New Haven Intern – The intern still has 6 hours to complete before her internship is completed. Her activity in the Office is almost complete.

256 Bank Street, SONCCA – The Office's activities at this project is completed. A full C.O has been approved by this Office.

42 Silvermine Road, Thule Company – There has been no change since last month. The Office has conducted construction inspections and follow-up activities regarding this renovation. A temporary certificate of occupancy has been approved for part of the building under phase 1.

600 Derby Avenue, Haynes Quarry – Blasting activities at this site have temporarily stopped.

West Church Street at Ryder Avenue, Aquarion Water Pump Station – This project includes the upgrading of this pump station. We are monitoring the construction activities and have begun answering questions from the contractors.

Hurricane Sandy – DFM/AEMD Tim Willis attended some follow up activities regarding this event.

Office Activities – A high amount of office administration work was conducted this month by the Office.

Tri-Town Plaza, Derby Ave – A meeting and walk thru on site was conducted for a potential new tenant. Over the last several years, this type of activity has been conducted before with no conclusion.

Significant Fire Investigations: 126 Pearl Street - A small fire occurred in the third floor bedroom of this two family house. The point of origin was a bedroom closest on the third floor. The cause of this fire is undetermined at this time. However, it is more than likely caused by human hands. The fire caused minor fire damage but moderate smoke and water damage.

Pier 34, 377 Roosevelt Drive – A small outside fire occurred on the southern exit ramp and deck. The building was closed and not occupied at the time of the fire department arrival. Significant follow up was done by DFM Willis and the Seymour Detective Division. At this time, the cause is undetermined but not electrical. This is an open case at this time.

Submitted by,



Paul Wetowitz
Seymour Fire Marshal
December 10 2012

Cc. File

Seymour Fire Dept

Incident List by Incident Number

Alarm Date Between {11/01/2012} And {11/30/2012}

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
12-0000448-000	11/02/2012	17:38:00	Day St.	352 Extrication of victim(s) fro
12-0000449-000	11/02/2012	18:06:00	New Haven Rd. & Spruce St	324 Motor Vehicle Accident with
12-0000450-000	11/02/2012	18:17:00	Maple St. & Pearl St.	324 Motor Vehicle Accident with
12-0000451-000	11/04/2012	14:09:00	126 Pearl St.	111 Building fire
12-0000452-000	11/04/2012	16:30:00	211 Mountain Rd.	553 Public service
12-0000453-000	11/04/2012	23:05:00	N RTE 8 X 21	324 Motor Vehicle Accident with
12-0000454-000	11/05/2012	15:18:00	Klarides Village Dr.	651 Smoke scare, odor of smoke
12-0000503-000	11/06/2012	17:34:00	79 Main St.	745 Alarm system activation, no
12-0000504-000	11/06/2012	19:04:00	61 Brookdale Rd	114 Chimney or flue fire, confin
12-0000505-000	11/07/2012	22:05:00	Argonne Ter.	324 Motor Vehicle Accident with
12-0000506-000	11/09/2012	13:43:00	51 Skokorat St.	745 Alarm system activation, no
12-0000507-000	11/09/2012	16:24:00	100 Bank St.	611 Dispatched & cancelled en ro
12-0000508-000	11/13/2012	02:07:00	1 First St.	745 Alarm system activation, no
12-0000509-000	11/13/2012	08:05:00	307 Quaker Farms Rd /Oxfo	571 Cover assignment, standby, m
12-0000511-000	11/14/2012	09:47:00	2 Botsford Rd.	745 Alarm system activation, no
12-0000513-000	11/16/2012	16:39:00	222 West Church St.	561 Unauthorized burning
12-0000514-000	11/16/2012	06:40:00	57 Balance Rock Rd.	745 Alarm system activation, no
12-0000515-000	11/16/2012	19:35:00	277 Bank St.	324 Motor Vehicle Accident with
12-0000516-000	11/16/2012	23:37:00	377 Roosevelt Dr.	150 Outside rubbish fire, Other
12-0000517-000	11/17/2012	09:07:00	5 Scott Ave.	651 Smoke scare, odor of smoke
12-0000518-000	11/17/2012	11:23:00	New Haven Rd. & North St.	413 Oil or other combustibile liq
12-0000519-000	11/17/2012	12:57:00	N RTE 8 X 22	324 Motor Vehicle Accident with
12-0000520-000	11/17/2012	19:41:00	337 Roosevelt Dr.	324 Motor Vehicle Accident with
12-0000521-000	11/18/2012	17:38:00	318 Roosevelt Dr.	745 Alarm system activation, no
12-0000522-000	11/19/2012	06:22:00	318 Roosevelt Dr.	745 Alarm system activation, no
12-0000523-000	11/20/2012	16:39:00	78 Bank St.	611 Dispatched & cancelled en ro
12-0000524-000	11/20/2012	18:26:00	So. Main St. & Hillside A	322 Motor vehicle accident with
12-0000525-000	11/22/2012	01:46:00	Great Hill Rd.	324 Motor Vehicle Accident with
12-0000526-000	11/22/2012	02:15:00	Roosevelt Dr.	324 Motor Vehicle Accident with
12-0000527-000	11/22/2012	16:16:00	67 Balance Rock Rd.	531 Smoke or odor removal
12-0000528-000	11/22/2012	18:30:00	115 Main St.	412 Gas leak (natural gas or LPG
12-0000529-000	11/23/2012	05:33:00	385 Roosevelt Dr.	324 Motor Vehicle Accident with
12-0000530-000	11/23/2012	11:34:00	Old Ansonia Rd.	324 Motor Vehicle Accident with
12-0000531-000	11/23/2012	17:38:00	17 Hull St	651 Smoke scare, odor of smoke
12-0000532-000	11/25/2012	07:30:00	36 French St.	531 Smoke or odor removal
12-0000533-000	11/25/2012	18:20:00	42 Silvermine Rd.	745 Alarm system activation, no
12-0000534-000	11/26/2012	17:29:00	35 Bungay Rd.	745 Alarm system activation, no
12-0000535-000	11/26/2012	07:09:00	11 Patrick Dr	611 Dispatched & cancelled en ro
12-0000536-000	11/26/2012	19:49:00	Haddad Rd. & Silvermine R	324 Motor Vehicle Accident with
12-0000537-000	11/27/2012	07:10:00	385 Roosevelt Dr.	352 Extrication of victim(s) fro
12-0000538-000	11/27/2012	14:23:00	Rte 188	413 Oil or other combustibile liq
12-0000539-000	11/28/2012	13:03:00	249 Pearl St.	745 Alarm system activation, no
12-0000540-000	11/29/2012	17:15:00	20 Frances Dr.	745 Alarm system activation, no
12-0000541-000	11/30/2012	12:53:00	4 Wakeley St.	745 Alarm system activation, no

Total Incident Count 44

Seymour Fire Department Chief's Requisitions

Qty	Item Description	Vendor	Price ea.	Total	Acct. No.	P.O. No.
1	service at C2	Air Compressing Engineering	\$357.00	\$357.00	733	85910
1	Air Quality testing both houses	Air Compressing Engineering	\$2,045.00	\$2,045.00	743	85911
1	water assessment at GH installment	Town of Seymour	\$730.40	\$730.40		
1	additional work for FD 1 vehicle (insurance)	Sabos	\$1,019.50	\$1,019.50	720	85912
1	Repairs at GH / Pump / Pump	Ehman Mechanical	\$680.00	\$680.00	720	85913
2	portable radios for dive LT.	Communication services	\$858.45	\$1,716.90	720	85914
1	SCBA Brackets	Shipmans	\$2,553.26	\$2,553.26	745	85915
1	Live Burn	New Haven Fire School	\$500.00	\$500.00	720	85916
1	1 3/4 inch (10 lengths) 1-Tan 3-Red-Single-10-Blue-Single	Shipmans	\$16,995.00	\$16,995.00	740	85917
1	2 1/2 inch (7 lengths) 4-yellow 3-green 7 single	Shipmans	\$23,495.00	\$23,495.00	745	85918
1	Scene Lights C2	Communication services	\$921.08	\$921.08	745	85919
1	Scene Lights GH	Communication Services	\$921.08	\$921.08	745	85920
1	Extra work (DOT) Engine 16	Tracey's Garage	\$969.46	\$969.46	743	85921
1	Extra work (DOT) Engine 13	Tracey's Garage	\$477.44	\$477.44	743	85922
1	Muffler Engine 10	Tracey's Garage	\$314.09	\$314.09	730	85923
1	New key system at Great Hill	Alert Alarms Inc.	\$14,131.83	\$14,131.83		
12	Masks 4-Med 8-Lgs.	Shipmans	\$232.26	\$2,787.12	715	85924
2	Velcro name tags -Captain Blank	Shipmans	\$49.00	\$98.00	615	85925
24	Sets of gloves -2-Jumbo 12-x4 8-Lg.	Shipmans	\$52.50	\$1,260.00	615	85926
8	Helmets 4-Black 4-yellow	Shipmans	\$245.00	\$1,960.00	615	85927
		TOWNE	16500	\$6.00	720	85928

Ch. 1 vehicle.

Journal of Management Education 30(6)

~~\$73,385.46~~

85929

**Seymour Fire Department
Chief's Requisitions**

By our signatures below, we approve the requisitions indicated above:

Date: _____

Thomas Tomasheski, Chief

Steve Childs Asst. Chief

James Smith, Asst. Chief

John Cronin Jr. Asst. Chief