



**SEYMOUR WATER POLLUTION  
CONTROL AUTHORITY**

P.O. Box 275  
Seymour, Connecticut 06483

COPY RECEIVED  
DATE: 1/7/08  
TIME: 2:22 PM  
TOWN CLERK'S OFFICE

**Minutes of the Seymour WPCA regular meeting (6pm) and  
Public Hearing (6:45pm) for January 2<sup>nd</sup> 2008.**

**Members Present:** John Fanotto, Stephen Chucta and Charles Bellavance.

**Members not Present:** Lou DeBarber and Jon Livolsi.

**Others present:** Jon Marro, Veolia Water, Atty. Richard Bruchal, Jim Galligan, P.E., and other members of the public.

John Fanotto called the meeting to order at 6:13pm.

**Pledge of Allegiance was given.**

**Stephen Chucta** made a motion, Charles Bellavance 2<sup>nd</sup>, to accept the December 5<sup>th</sup> 2007 minutes. Motion passed 3-0.

WPCA Regulation changes were tabled until after the public hearing.

**Derby and Seymour Intermunicipal Agreement-**

Atty. Richard Bruchal passed out a draft to the board members to read, and suggested that the board select a committee of 2 board members plus Jim Galligan to handle negotiations for this agreement. After some discussion, it was decided that John Fanotto and Stephen Chucta would attend the negotiations. **Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup>, to approve the committee for negotiations and to table this matter until next month. Motion passed 3-0.

**Veolia Water Reports-**

Tony Bellao was on vacation, so Jon Marro submitted the reports- there was nothing out of the ordinary to report as plant functioned normally.

**Income Report-** Jon Marro submitted this to the board. John Fanotto asked for a list of persons who owe over \$1,000 to be submitted to the board next Meeting.

**Finance Report-** John Fanotto submitted this to the board.

**Invoices-** The following invoices were submitted to the board for authorization.

• Atty. Richard Bruchal	\$2,375.00
• PSG	\$92,337.29
• Bahr Sales	\$439.38
• Prime Publishers	\$100.70
• Seymour Police	\$1,472.11
• Seymour Police	\$865.94

**Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup>, to pay the bills. Motion passed 3-0.

**Legal Report-** Atty. Bruchal reported on the ongoing court case vs. Welch, Winnick and Vine.

Discussion also ensued about the Seymour WPCA Plaque for the Middle School.

**Engineering Report-** Presented the information about the changes in the WPCA regulations, and submitted an information packet about the updating the map of Seymour sewer lines on both physical and electronic formats (GIS System). The GIS system mapping would roughly cost \$20,000 and take 4-5 weeks to complete. Discussion ensued about how efficient this mapping process would be in application, from location of manholes, mapping of laterals and (later on) billing procedures.

**Charles Bellavance** made the motion, Stephen Chucta 2<sup>nd</sup>, to authorize \$20,000 to allow GIS to map the Seymour sewer system with lateral locations. Motion passed 3-0.

John Fanotto asked Jim Galligan about the dual laterals connected to a manhole on 60 Kathy Drive, Jim responded that the sewer inspector had a look at the property but nothing further was shown. This is to be on the agenda for next month.

#### **At 6:45 the Public Hearing was started.**

Jon Marro read the following into the record;

“Please take note that the Seymour Water Pollution Control Authority will conduct a Public Hearing on the Amendment of its regulations on Wednesday, January 2, 2008 at 6:45 P.M. at the Authority Facility Derby Ave, Seymour, Connecticut. All interested persons may attend and be heard. Written communications on the Amendment may be sent to the Authority at the above address.

Copies of the proposed Amendment are available at the Seymour WPCA facility at the above address and at the office of the Seymour Town Clerk, Seymour Town Hall, 1 First Street Seymour, Connecticut. “

Jim Galligan and Atty. Richard Bruchal presented the two amendments (see attached).

There wasn't any correspondence or members of the public attending and the Notice was published in the *Waterbury Republican-American*.

**Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup>, to close the Public Hearing. Motion passed 3-0. Public Hearing was ended 6:53pm

**Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup> to re-introduce the WPCA Regulation Changes on the regular meeting. Motion passed 3-0.

**WPCA Regulation Changes-**

**Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup>, to accept the Regulation changes to the WPCA regulations, effective February 1<sup>st</sup> 2008. Motion passed 3-0.

**Public Comment-** none

**Charles Bellavance** made a motion, Stephen Chucta 2<sup>nd</sup>, to adjourn the meeting. Motion passed 3-0. Meeting was adjourned 6:54 pm.

## **ARTICLE VIII VALIDITY**

### **Section 8.1 VALIDITY, SEVERABILITY**

The invalidity of any section, clause, sentence or provision of these rules and regulations shall not affect the validity of any other part of these Rules and Regulations, which can be given effect without such invalid part or parts.

### **SECTION 8.2 INTERPRETATION**

**The authority reserves the right to interpret all sections of these rules and regulations. Its interpretation of these rules and regulations shall be the final and binding authority on same. The interpretation of appendix I , schedule of fees, charges and terms, shall be included in this authority.**

## APPENDIX 1

## SCHEDULE OF FEES, CHARGES, and TERMS

## FEES:

Contractor's Registration (Section 3.1.1)	\$50.00
Performance Bond (Section 3.2)	\$10,000.00
Permit and Inspection	
Single Family	\$100.00
Multifamily	\$150.00
Commercial/Industrial (Section 3.2)	\$250.00
Submittal Review	\$50.00/Lot
Maximum (Section 3.19)	\$2,500.00
Field Inspection (Section 3.19)	\$50.00
Mainline Inspection (Section 3.19)	\$500.00 plus \$3.00/Linear foot of mainline
Violation Fine (Section 7.2)	\$250.00 \$250.00/Day after Thirty (30) Days
Sewer Registration (Section 12.1)	\$50.00

## CHARGES

Connection (Section 13.2)	\$450.00
IMPACT FEE	\$2000.00
A. Sewer Lines to be connected to sewers Where the construction bond has been retired	\$2,000.00 per lot/unit
B. Sewer Lines to be connected to sewers Where the construction bond has not been retired.	\$3,500.00 per lot/unit

C. Sewer lines to be connected to sewers  
Where the construction bond has not been retired  
And no further extension of said sewer is possible.

Equal to the assessment of  
Connecting sewer per unit.



**MONTHLY OPERATING REPORT  
SEYMOUR, CONNECTICUT  
December, 2007**

**OPERATIONS**

The Seymour WPCA remained in compliance in each of the monitoring parameters through the month of December, 2007. Average data is as follows:

BOD-97% Removal (Effluent average=4MG/L)

TSS-99% removal (effluent average=1MG/L)

Flow 1.8 MGD

**MAINTENANCE**

Plant repair and maintenance items include the following:

- Finished removing trees from Greenhouse Shed
- Put new packing in #2 RAS Pump
- Finished cleaning Basement in Main Building
- Changed Bearing on Belt Press Conveyor
- Plow plant
- Repaired #3 RAS Pump
- Replaced #2 Recirc Pump with spare sent out pump to Flight
- Secondary Scum Pump bad getting price for new pump and price to repair same
- Cleaned all sprays on thickener
- Cleaned wet well and purged lines
- Replaced wipers on Pick Up
- Will be getting back \$10,687 for Nutrient removal

**COLLECTION SYSTEM**

- Komar Construction finished line
- Ran Plant Syphon for two days
- Check all pump stations once a week
- Checked Kinneytown Syphon inlet
- Grit pump stations
- Plow all pump stations

**SAFETY**

- No safety violations for December.

Respectfully Submitted to the WPCA Board Members: John Fanotto, Chairman, Steve Chucta, Lou DeBarber, Charles Bellavance and Jon Livolsi

December 31, 2007

**Town of Seymour**

**WPCA**

July 1, 2007 through December 31, 2007

Cash Balance 11/30/2007	1,226,984.48
Reserve Acc	290,504.50

**December  
Monthly Summary**

<b>Deposits</b>	19,776.56
Interest	972.41
transfers in	-
<b>TOTAL</b>	20,748.97

**Monthly Summary**

Cap Improvement

Engineering  
Legal

Misc

<b>Payments</b>	
US Filter	92,337.29
Bahr sales	
Ct test lab	
Campbell Foundry	4,001.00
BJ Electric	4,342.46
Nafis & Young	13,868.25
R. Bruchal	2,000.00
Macalaster Bicknell	
Tower Generator	4,495.00
Spencer Turbine	
AT&T	
Servpro	4,748.26
Bank Charge( Deposit Slips& cks)	
CL&P	
Postmaster	
State DEP	
State of CT permit	
Quality Data	
MTA	
transfer out	
<b>TOTAL</b>	125,792.26

Dec-07

Date	Dumper	Insp. Permits	Copies, Misc & App.	Contractor Reg.	Sewer Impact	SEWER USAGE	Deposit Amount
12/4/2008	\$ -	\$ 200.00	\$ -	\$ 50.00	\$ 2,900.00	\$ 9,164.13	\$12,314.13
12/14/2008	\$ -	\$ -	\$ -	\$ -	-	\$ 7,462.43	\$7,462.43
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
	\$ -	\$ -	\$ -	\$ -	-	\$ -	\$0.00
TOTALS	\$0.00	\$200.00	\$0.00	\$50.00	\$2,900.00	\$16,626.56	\$19,776.56