

COPY RECEIVED  
DATE: 7/11/17  
TIME: 10:35am  
TOWN CLERK'S OFFICE

## NOTICE OF PUBLIC HEARING

The Seymour Water Pollution Control Authority will hold a public hearing on the proposed charges for sewer usage on August 7, 2017 at 6:00 p.m. at the offices of The Seymour Water Pollution Control Authority 723 Derby Avenue Extension, Seymour, Connecticut 06483.

The purpose of the hearing is to take public comment on the proposed charges for sewer usage effective October 1, 2017. A copy of the proposed charges are on file at the Seymour Town Clerk's office located at 1 First Street, Seymour, Connecticut 06483.

The hearing shall take place of The Seymour Water Pollution Control Authority 723 Derby Avenue Extension, Seymour, Connecticut 06483.

Dated this 11<sup>th</sup> day of July, 2017.

Seymour Water Pollution Control Authority

By:

  
Ramon S. Sous, its Attorney

COPY RECEIVED  
DATE: 7/11/17  
TIME: 12:35pm  
TOWN CLERK'S OFFICE

**Proposed Sewer Usage Rate  
Effective October 1, 2017:**

\$4.60 per 100 cubic feet (CCF) of water usage

**Well Rate:**

\$181.00 semi-annual rate - \$362.00 annual rate

**Minimum Rate:**

\$114.00 semi-annual rate - \$228.00 annual rate