ELEVATION CERTIFICATE

O.M.B. No. 3067-0077

FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	SECTION A PRO	OPERTY INFO	PRMATION		FOR INSURANCE COMPANY USE	
BUILDING OWNER'S NAME William H. Brehm, II and Joan D. Brehm					POLICY NUMBER	
STREET ADDRESS (Including Ap					COMPANY NAIC NUMBER	
# 919 Stenton Place					COMMITTEE HOMELIT	
OTHER DESCRIPTION (Lot and Lot 6, Block						
CITY				STATE	ZIP CODE	
Ocean City	SECTION D. FI	OOD WOUR	NOC DITT HID (TOLD)	N.J.	08226	
Provide the following from t	***************************************	·	ANCE RATE MAP (FIRM)	INFORMATION	7-M-1	
Provide the following from t		· · · · · · · · · · · · · · · · · · ·	1	······		
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)	
345310	0001	C	9/5/84	A7	10 '	
7. Indicate the elevation dat 8. For Zones A or V where	um system used on the no BEE is provided on	he FIRM for Ba	ase Flood Elevations (BFE	E): [X] NGVD '29	Other (describe on back) or this building site, indicate	
the community's BFE: L	feet N	GVD (or other	FIRM datum-see Section	ablished a brit i i B. Item 7)	or this building site, indicate	
		"	NG ELEVATION INFORM			
of 1 110 . 4 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account and a under Comments on Pagethe FIRM [see Section equation under Comments.]	allding's reference level AE, AH, and A (with Est NGVD (or other FIF VE, and V (with BFE) is at an elevation of Laber BFE). The floor used the highest grade action used as the reference adjacent to the build ordance with the community of the B, Item 7], then convents on Page 2.)	el BFE). The top M datum—see The bottom of the bottom daturent the elevation daturent the elevation daturent the elevation of the bottom of the botto	of the reference level floor Section B, Item 7). The section B, Item 7) of the lowest horizontal structure of the lowest horizontal structure level from the selecter building. The selected diagram is a depth number is available lain management ordinant above reference level elem used in measuring the elem used in measuring the elem to the datum system uses the section of the sec	r from the select ructural member IM datum—see Sid diagram is Lifeet are, is the building ce? The Sid NG Patentions: X NG Patentions is different on the FIRM	ed diagram is at an elevation of the reference level from ection B, Item 7).	
4. Elevation reference mark						
5. The reference level eleventh (NOTE: Use of constructions this certificate will of will be required once controlled to the controlled to	tion drawings is only nly be valid for the bu	valid if the build ilding during th	uction	e reference level	floor in place, in which tion Elevation Certificate	
6. The elevation of the low Section B, Item 7).	est grade immediately	adjacent to th	e building is: 1 1 9	.[6] feet NGVD	(or other FIRM datum-see	
MANAGE AND THE STATE OF THE STA	s	ECTION D C	OMMUNITY INFORMATION	ON .		
is not the "lowest floor" a	is defined in the comportion	munity's floodp feet f	lain management ordinan NGVD (or other FIRM dati	ce, the elevation um-see Section	ndicated in Section C, Item 1 of the building's "lowest B, Item 7).	

SECTION E CERTIFICATION

State of the State


* 0

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	1.10	ENSE NUMBER (or Affix Seal)			
David C. Kruger	N.	J.P.L.S. # 30406			
TITLE	COMPANY NAME	0			
Prof. Land Surveyor	David C. Kruge	r Associates			
ADDRESS	CITY			CYATE	
3323 Simpson Avenue	Ocean City			STATE N.J.	zif 08226
SIGNATURE .		DATE 6/30/98	PHONE		
					391-9393
Copies should be made of this Certificate	Total 17 containantly children, 2	insurance agent/comp	any, and	3) build	ing owner.
		insurance agent/comp	any, and	3) build	ing owner.
		insurance agent/comp	any, and	13) build	ing owner.
		insurance agent/comp	eany, and	13) build	ing owner.
		insurance agent/comp	oany, and	13) build	ing owner.
		insurance agent/comp	eany, and	13) build	ing owner.
		insurance agent/comp	eany, and	13) build	ing owner.
COMMENTS:		insurance agent/comp	eany, and	3) build	ing owner.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

